

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	((("7068633") or ("7151762") or ("20030093526") or ("20050041670") or ("20060194601")).PN.	USPAT; USOCR	OR	OFF	2007/11/29 19:25
S2	5	((("7068633") or ("7151762") or ("20030093526") or ("20050041670") or ("20060194601")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 19:39
S3	1	("7031287").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/03 12:17
S4	0	("2002089994").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 19:40
S5	1	("20020089994").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 19:54
S6	1	("20020143982").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/29 19:54
S7	56	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (txop) and (schedul\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 12:36
S8	2	(@ad<="20021106" or @pd<="20021106" or @rlan<="20021106" or @rlad<="20021106" or @rlpn<="20021106" and (tspec) and (mac) and (cf-poll)	US-PGPUB; USPAT	ADJ	OFF	2007/12/03 12:17
S9	97	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017" and (txop)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 13:11
S10	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017" and (parameter\$2 with (maximum service interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 13:13

S11	9	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (parameter\$2 with (msdu ))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 13:27
S12	2478	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and rr and schedul\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 10:49
S13	44	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and rr near2 frame\$2 and schedul\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 13:31
S14	9	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (rr near2 frame\$2 with (qos or parameter\$2)) and schedul\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38
S15	155	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (access point with processor with memory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:10
S16	20	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (parameterized near3 stream)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:15
S17	6	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and ((mean data rate) same (msdu size) same (service interval or delay bound)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:24
S18	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval same (txop))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:24

S19	3	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval and (txop))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:27
S20	0	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval and (transmission opportunity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:27
S21	698	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:42
S22	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (service interval ) and tspec	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:28
S23	6	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (determin\$5 or calculat\$5) near5 (TXOP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:33
S24	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (tspec same service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:33
S25	1	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (txop same (rate) same (msdu) same (overhead))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:43
S26	8	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (txop and (rate) and (msdu) and (overhead))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:51

S27	2	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (tspec or (traffic specification)) same (rate same msdu same overhead)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/03 19:52
S28	6	(@ad<="20031010" or @pd<="20031010" or @rlan<="20031010" or @rlad<="20031010" or @rlpn<="20031010") and (txop) same (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 10:59
S29	4	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop) same (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:02
S30	7	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop) and (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:15
S31	20	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with txop	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:24
S32	1	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with txop and (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:15
S33	15	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with txop and (interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:39
S34	12792	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:42

S35	5	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si) same (beacon))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:43
S36	0	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si) same (beacon) and (maximum serve interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:43
S37	0	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si) and (maximum serve interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:27
S38	2	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (determin\$5 or calculat\$5) with (service interval or si) and (beacon interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 11:53
S39	29	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (service interval or si) same (beacon))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:07
S40	6	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum service interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:09
S41	6	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum service interval) and (service interval or (si)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:48

S42	6	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and ((maximum or max) near2 service interval) and (service interval or (si))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:18
S43	41	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (service interval with (max or maximum))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:18
S44	358	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (interval adj5 less adj6 maximum)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:27
S45	25	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (interval adj5 less adj6 maximum) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 12:27
S46	3	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and txop and (transmission rate) and (msdu or mpdu) and overhead \$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:06
S47	1	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and txop same (maximum (msdu\$2 or mpdu\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:06
S48	1	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and txop and (maximum (msdu\$2 or mpdu\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:06

S49	11	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum (msdu\$2 or mpdu \$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:48
S50	14	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum near2 (msdu\$2 or mpdu\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:56
S51	5	((@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop near2 (msdu\$2 or mpdu \$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 13:56
S52	21	((@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop with (msdu\$2 or mpdu \$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:21
S53	284	((@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and ((time or period) with maximum near2 size near2 (packet or frame\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:22
S54	110	((@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and ((transm\$6) with (time or period) with maximum near2 size near2 (packet or frame\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:24
S55	26	((@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum or max) with (msdu \$2 or mpdu\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:25

S56	0	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum or max) with (msdu \$2 or mpdu\$2) and txop	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:25
S57	3	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum or max) with (msdu \$2 or mpdu\$2) and txop	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:26
S58	52	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (maximum or max) with (msdu \$2 or mpdu\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:30
S59	111	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop or (transmit opportunity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:30
S60	0	370/346.ccls and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
S61	0	370/449.ccls and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38
S62	0	370/395.4.ccls and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38
S63	0	370/343.ccls and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38



S64	0	370/343.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:38
S65	241	370/346.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
S66	850	370/449.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
S67	466	370/395.4.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
S68	461	370/343.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
S69	1436	370/230.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
S70	196	370/344.ccls. and (@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/12/04 14:39
S71	1	(US-20030161340-\$.)did.	US-PGPUB	ADJ	OFF	2008/08/01 11:46
S72	1	S71 and rr	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/01 11:46
S73	1	S71 and rr and mac	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/01 12:03

S74	0	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (resource reservation same (txop or transm\$6 opportunity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/01 12:57
S75	19	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (resource reservation and (txop or transm\$6 opportunity))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/01 12:57
S76	25	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (resource reservation or rr) near3 frame\$2 same (grant\$5 or schedul\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/01 14:03
S77	25	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (resource reservation or rr) near3 frame\$2 same (grant\$5 or schedul\$5) and (Pr or resource reservation)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/01 17:55
S78	25	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and (resource reservation or rr) near3 frame\$2 same (grant\$5 or schedul\$5) and (Pr or resource reservation) and (timeslot\$2 or slot\$2 or schedul\$4 or time\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/01 18:01
S79	8	(@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop or (transmit opportunity)) and (service interval)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/03 01:06

S80	8	((@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop or (transm\$6 oppurtunity)) and (service interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/03 01:09
S81	8	((@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop or (transm\$6 oppurtunit \$3)) and (service interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/03 01:09
S82	8	((@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop or (transm\$6 oppurtunit \$3) or to) and (service interval))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/03 01:26
S83	1215	((@ad<="20030415" or @pd<="20030415" or @rlan<="20030415" or @rlad<="20030415" or @rlpn<="20030415") and (txop or (transm\$6 oppurtunit \$3) or to) and (service interval or si))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/03 01:26
S84	39	((AMJAD) near2 (SOOMPO)).INV.	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 12:29
S85	22	((SAI) near2 (NANDAGOPALAN)).INV.	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 12:31
S86	38	((JAVIER) near2 (PAVON)).INV.	US-PGPUB; USPAT	ADJ	OFF	2009/07/28 12:32
S87	1	S84 and S85 and S86 and (beacon\$2).clm.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 12:33
S88	6	((@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and beacon\$4 near2 (interval\$4 or period\$2) with servic\$5 near2 (tim\$5 or interval\$3 or period \$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 12:35

S89	4	(@ad<="20021017" or @pd<="20021017" or @rlan<="20021017" or @rlad<="20021017" or @rlpn<="20021017") and beacon\$4 near2 (interval\$4 or period\$2) with txop\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/07/28 12:37
-----	---	---	---	-----	-----	---------------------

7/ 28/ 2009 4:44:48 PM

C:\ Documents and Settings\kcehic\ Desktop\ apps\ 10532748\ 748.wsp